

LCDモジュール

产品尺寸	项目名称	分辨率横	分辨率列	外形尺寸	外形尺寸	外形尺寸	AA区横	AA区列	信号接口	亮度	对比度	高温动作	高温存储	低温动作	低温存储	液晶态
0.96	TCXD010MBLON-2	80	160	13.50	27.95	1.90	10.80	21.69	SPI	500	800	70	80	-20	-30	IPS
1.44	TCXD015IWLON-1	128	128	30.60	34.80	2.40	25.50	26.50	SPI	270	500	70	80	-20	-30	TN
1.8	XT18033A	128	160	33.03	42.70	2.50	28.03	35.04	MCU	400	300	70	80	-20	-30	TN
	XT18014A	128	160	33.03	42.70	2.50	28.03	35.04	MCU	500	300	70	80	-20	-30	TN
	TCXT18001A	128	160	34.70	46.70	2.50	28.03	35.04	MCU	130	300	70	80	-20	-30	TN
2.0	XT20036C	240	320	41.60	54.70	4.10	30.60	40.80	MCU	300	700	70	80	-20	-30	IPS
	TCXD020IWLON-01	240	320	35.80	52.10	4.05	30.60	40.80	RGB	300	600	70	80	-20	-30	IPS
	XT20023A	176	220	38.03	51.65	2.50	31.68	39.60	MCU	220	500	70	80	-20	-30	TN
2.2	TCXD022MWLON-2	240	320	38.38	55.19	2.40	33.84	45.12	SPI+RG	350	400	70	80	-20	-30	TN
	TCXD024IBLMA-2	240	320	45.52	65.10	3.30	36.72	48.96	MIPI	380	800	70	80	-20	-30	IPS
	TCXT24001A	240	320	42.40	58.85	2.65	36.72	48.96	MCU	180	300	70	80	-20	-30	TN
	TCXD024IBLMA-5	240	320	46.70	66.20	3.30	36.72	48.96	MIPI	350	800	70	80	-20	-30	IPS
	TCXD024IBLMA-6	240	320	46.72	64.36	3.23	36.72	48.96	SPI+RG	380	800	70	80	-20	-30	IPS
	XT24071B	240	320	42.72	60.26	2.20	36.73	48.96	MCU	250	300	70	80	-20	-30	TN
	TCXD024IWLON-4	240	320	42.72	60.26	2.23	36.72	48.96	SPI	400	500	70	80	-20	-30	TN
	TCXD024IWLON-7	240	320	42.72	60.26	2.60	36.72	48.96	SPI	230	250	70	80	-20	-30	TN
	TCXT24006B	240	320	42.72	60.26	2.23	36.72	48.96	SPI	300	600	70	80	-20	-30	TN
2.7	XT27004A	480	240	65.20	42.82	2.37	58.80	35.28	MCU	0	0	70	80	-20	-30	TN
2.83	XT28090A	240	320	50.50	69.70	2.60	43.20	57.60	SPI+RG	600	800	70	80	-20	-30	IPS
	XT28C01A	240	320	50.00	68.95	2.20	43.20	57.60	MCU	300	500	70	80	-20	-30	TN
	TCXD028IBLON-6	240	320	50.00	69.20	2.25	43.20	57.60	SPI+RG	260	800	70	80	-20	-30	IPS
	XT28081A	240	320	50.00	68.95	2.20	43.20	57.60	SPI+RG	300	500	70	80	-20	-30	TN
	TCXD028IWLON-5	240	320	50.00	69.20	2.25	43.20	57.60	SPI+RG	260	500	70	80	-20	-30	TN
	XT28089A	240	320	50.00	68.95	2.20	43.20	57.60	RGB	300	500	70	80	-20	-30	TN
	TCXD028INLON-7	240	430	50.00	68.95	2.20	43.20	57.60	SPI	300	600	70	80	-20	-30	TN
TCXD028IBLON-4	240	320	50.00	68.95	2.20	43.20	57.60	MCU	180	800	70	80	-20	-30	IPS	
2.86	TCXD028IBLON-3	376	960	31.20	76.60	2.30	26.51	68.13	MIPI	350	1500	70	80	-20	-30	IPS
3.0	TCXD030IBLON-1	360	640	42.70	74.70	2.30	36.72	65.28	MIPI	250	800	70	80	-20	-30	IPS
3.1	TCXT31001A	480	800	45.00	74.80	1.75	40.32	67.20	RGB	500	1000	70	80	-20	-30	IPS
3.2	XT32035D	240	320	57.54	79.20	3.65	48.60	64.80	MCU	250	300	70	80	-20	-30	TN
	TCXD032IWLON-1	240	320	57.54	79.20	3.65	48.60	64.80	MCU	250	500	70	80	-20	-30	TN
	TCXD035IBLON-21	640	480	74.38	62.35	2.35	70.08	52.56	MIPI	450	800	70	80	-20	-30	IPS
	TCXD035IBLON-16	640	480	74.38	62.35	2.35	70.08	52.56	RGB	350	800	70	80	-20	-30	IPS
	TCXD035IBLON-3	640	480	74.38	62.35	2.35	70.08	52.56	RGB	350	800	70	80	-20	-30	IPS
	TCX034DTLN-02	640	480	73.08	59.56	2.35	70.08	52.56	RGB	450	800	70	80	-20	-30	IPS
	XT35C06C	320	240	82.40	67.46	7.80	70.08	52.56	SPI+RG	800	800	85	90	-30	-40	IPS
	XT35383A	320	480	84.71	54.48	2.25	74.88	49.92	MCU	300	500	70	80	-20	-30	TN
	TCXD035IBLON-8	640	480	74.38	62.35	2.35	70.08	52.56	SPI+RG	700	800	70	80	-20	-30	IPS
	XT35415A	240	320	62.28	87.04	20.00	53.28	71.04	SPI/MC	600	1800	85	90	-30	-40	VA

3.5	XT35C03A	320	240	76.90	63.90	3.20	70.08	52.56	SPI+RG	300	300	70	80	-20	-30	TN
	TCXD035ABFON-12	240	320	58.56	79.94	1.26	53.28	71.04	MCU	0	1100	85	90	-30	-40	IPS
	XT35C08A	320	480	54.48	84.71	2.25	48.96	73.44	MCU	300	500	70	80	-20	-30	TN
	TCXD035ABFON-13	240	320	58.56	79.94	1.26	53.28	71.04	MCU	0	1100	85	90	-30	-40	IPS
	TCXD035ABFON-19	240	320	58.56	79.94	1.00	53.28	71.04	MCU	0	1100	85	90	-30	-40	IPS
	XT35C11A	320	480	54.48	84.71	2.25	48.96	73.44	SPI+RG	300	500	70	80	-20	-30	TN
	TCXD035ABLON-18	240	320	62.56	83.94	6.20	53.28	71.04	MCU	200	1100	85	90	-30	-40	IPS
	XT35394A	320	480	84.71	54.48	2.25	73.44	48.96	MCU	300	500	70	80	-20	-30	TN
	TCXD035ABFON-14	240	320	58.56	79.94	1.26	53.28	71.04	MCU	0	1100	85	90	-30	-40	IPS
	TCXD035ABFON-10	240	320	58.56	79.94	1.40	53.28	71.04	MCU	0	1100	85	90	-30	-40	IPS
	TCXD035IWLON-15	320	480	84.71	54.48	3.60	73.44	48.96	SPI+RG	300	600	70	80	-20	-30	TN
	TCXD035ABFON-20	240	320	58.56	79.94	1.00	53.28	71.04	MCU	0	1100	85	90	-30	-40	IPS
TCXD035ABFON-11	240	320	58.56	79.94	1.40	53.28	71.04	MCU	0	1100	85	90	-30	-40	IPS	
3.95	TCXD040IBLON-9	480	480	77.00	80.00	2.35	71.86	70.78	MIPI	300	800	70	80	-20	-30	IPS
	TCXD040IBLON-2	720	720	74.83	78.98	2.10	71.93	71.93	MIPI	300	1000	70	80	-20	-30	IPS
	TCX040DTLN-03	480	480	77.00	80.00	2.35	71.86	70.18	SPI+RG	500	800	70	80	-20	-30	IPS
	TCXD040IBLON-4	480	480	77.00	80.00	2.35	71.86	70.18	MIPI	300	800	70	80	-20	-30	IPS
3.97	TCXD040IWLON-1	480	800	57.14	96.85	2.10	51.84	86.40	SPI+RG	250	700	70	80	-20	-30	TN
	X040DTLN-34	480	800	55.64	94.10	2.20	51.84	86.40	SPI+RG	700	900	70	80	-20	-30	IPS
	X040DTLN-C04	480	800	55.64	94.10	2.20	51.84	86.40	SPI+RG	400	900	70	80	-20	-30	IPS
	TCXD040IBLON-10	480	800	56.74	97.00	2.10	51.84	86.40	SPI+RG	500	900	70	80	-20	-30	IPS
	X040DTLN-36	480	800	55.64	94.10	2.20	51.84	86.40	SPI+RG	400	900	70	80	-20	-30	IPS
4.2	X042DTLN-10	480	272	102.50	67.00	20.00	92.88	52.63	RGB	800	1800	85	90	-30	-40	IPS
4.3	TCX043DTLN-37	480	272	105.50	67.20	2.90	95.04	53.86	RGB	600	800	70	80	-20	-30	IPS
	X043DTLN-210	800	480	105.50	67.20	2.70	95.04	53.86	RGB	1000	800	70	80	-20	-30	IPS
	TCXD043ABLON-2	480	272	105.50	67.20	2.90	95.04	53.86	RGB	500	800	80	80	-30	-30	IPS
	TCXD043IWLON-7	480	272	105.50	67.20	2.90	95.04	53.86	RGB	350	500	70	80	-20	-30	TN
	TCXD043IWLON-10	480	272	105.50	67.20	2.90	95.04	53.86	RGB	400	500	70	80	-20	-30	TN
	TCX043DTLT-37	480	272	105.50	67.20	4.25	95.04	53.86	RGB	480	800	60	70	-10	-20	IPS
	TCX043DTLN-17	480	272	105.50	67.20	2.90	95.04	53.86	RGB	500	800	70	80	-20	30	IPS
	X043DTLN-150	480	272	105.50	67.20	2.90	95.04	53.56	RGB	350	500	70	80	-20	-30	TN
	TCX043DTLN-36	480	272	105.50	67.20	17.10	95.04	53.86	RGB	1000	1000	80	85	-30	-30	IPS
	TCXD043IBLON-3	480	272	105.50	67.20	2.90	95.04	53.86	RGB	1000	800	70	80	-20	-30	IPS
	TCXD043IWLON-8	800	480	105.50	67.20	2.41	95.04	53.86	RGB	350	1200	70	80	-20	-30	IPS
	TCX043DTLN-16	480	272	105.50	67.20	2.90	95.04	53.86	RGB	350	500	70	80	-20	-30	TN
	TCX043DTLT-08	800	480	109.50	71.00	4.71	95.04	53.86	LVDS	400	800	70	80	-20	-40	IPS
	TCXD043IBLON-4	800	480	120.70	75.90	2.95	108.00	64.80	RGB	1000	800	70	80	-20	-30	IPS
4.95	TCXD050IBLON-19	480	854	65.30	119.30	2.10	61.56	109.53	SPI+RG	350	1200	60	70	-20	-30	IPS
	TCXD050IBLON-3	480	854	65.10	119.30	2.10	61.56	109.53	MIPI	350	1200	60	70	-20	-30	IPS
5.0	TCX050DTLN-13	800	480	120.70	75.90	2.95	108.00	64.80	RGB	1000	600	-20	-30	70	80	IPS
	X050DTLN-B01	480	854	67.56	122.35	2.65	61.63	109.65	SPI+RG	550	800	70	80	-20	-30	IPS
	TCX050DTLN-18	800	480	120.70	76.30	3.25	108.00	64.80	RGB	400	500	80	80	-30	-30	TN
	TCX050DTLN-09	800	480	120.70	76.30	3.25	108.00	64.80	RGB	400	500	70	80	-20	-30	TN
	TCX050DTLN-05	800	480	118.50	77.55	4.80	108.00	64.80	RGB	1000	1000	70	80	-20	-30	IPS
	TCXD050IWLON-1	640	480	111.55	87.86	5.70	101.57	76.18	RGB	250	500	70	80	-20	-30	TN
	TCX050DTLN-16	800	480	120.70	76.30	3.25	108.00	64.80	RGB	400	500	80	80	-30	-30	TN

	TCXD050ABLON-13	800	480	120.70	75.90	2.95	108.00	64.80	RGB	700	1000	70	80	-20	-30	IPS
	TCXD050IBLMA-2	720	1280	71.80	136.30	3.18	62.10	110.40	MIPI	400	800	-20	-30	70	80	IPS
	TCXD050MBLON-15	720	1280	65.00	119.75	1.65	62.10	110.40	MIPI	400	900	70	80	-20	-30	IPS
	TCXD050IBLON-6	800	480	120.70	75.80	2.85	108.00	64.80	RGB	300	1000	70	80	-20	-30	IPS
	TCXD050AWLON-8	800	480	118.50	77.55	2.90	108.00	64.80	RGB	600	500	70	80	-20	-30	TN
5.5	TCXD055MBLON-1	720	1280	112.53	141.40	6.84	68.04	120.96	MIPI	600	1000	70	80	-20	-30	IPS
	TCXD055MBLON-2	720	1280	71.04	129.56	1.65	67.93	120.77	MIPI	380	1200	60	70	-10	-20	IPS
5.99	TCX060DTLT-01-ZG	1080	2160	72.74	149.43	2.09	68.04	136.08	MIPI	350	1500	60	70	-10	-20	IPS
	TCXD060MBLMA-1	1080	1920	80.72	156.42	3.12	74.52	132.48	MIPI	300	1000	60	80	-20	-30	IPS
6.2	X062DTLN-08	800	480	155.20	88.20	4.70	137.52	77.20	RGB	400	600	70	80	-20	-30	TN
	TCX062DTLT-01	800	480	155.20	88.20	6.70	137.52	77.23	RGB	340	600	70	80	-20	-30	TN
6.8	TCXD068IBLON-6	480	1280	66.60	181.00	4.40	60.22	160.59	MIPI	350	900	70	80	-20	-30	IPS
	TCXT70044A	1024	600	167.25	102.90	2.90	153.60	90.00	LVDS	420	700	60	70	-10	-30	TN
	TCXD070IWLON-48	1024	600	165.00	100.00	5.50	154.21	85.92	LVDS	350	800	70	80	-20	-30	TN
	TCXD070ABLON-19	800	480	166.10	106.00	7.50	152.40	91.44	RGB	1000	1000	85	90	-30	-40	IPS
	TCXD070IBLMA-66	720	1280	119.00	204.00	5.18	86.94	154.56	MIPI	600	800	70	80	-20	-20	IPS
	XT70396A	800	480	165.00	100.00	5.80	154.08	85.92	RGB	300	500	70	80	-20	-30	TN
	TCXD070AWLON-49	800	480	165.20	100.20	5.90	154.08	85.92	RGB	1000	500	80	80	-35	-40	TN
	TCXD070IWLON-4	1024	600	164.90	100.00	3.45	154.21	85.92	RGB	300	800	70	80	-20	-30	TN
	TCXD070IBLON-31	720	1280	91.60	165.56	2.65	86.94	154.56	MIPI	650	800	70	80	-40	-40	IPS
	TCXT70030A	800	480	166.10	106.00	7.50	152.40	91.44	RGB	1000	1000	85	90	-30	-40	IPS
	XT70621A	800	480	166.10	106.00	7.50	152.40	91.44	RGB	1000	1000	-30	-40	85	90	IPS
	TCXT70032A	1024	600	164.90	100.00	5.35	154.21	85.92	RGB	500	800	70	80	-20	-30	TN
	TCXD070IBLON-10	800	480	166.10	106.00	7.50	152.40	91.44	RGB	1000	1000	85	90	-30	-40	IPS
	TCXD070IWLON-18	1024	600	165.00	100.00	3.45	154.21	85.92	LVDS	500	600	70	80	-20	-30	IPS
	TCXD070AWLON-38	800	480	164.90	100.00	5.70	154.08	85.92	RGB	500	500	85	90	-30	-40	TN
7.0	TCXD070IBLMA-6	720	1280	102.00	167.26	4.28	86.94	154.56	MIPI	600	800	70	80	-20	-30	IPS
	TCXT70029A	800	480	165.00	100.00	5.80	153.84	85.63	RGB	300	500	70	80	-20	-30	TN
	XT70395F	800	480	165.00	100.00	3.50	154.08	85.92	RGB	450	500	70	80	-20	-30	TN
	TCXT70017A	800	480	164.90	103.80	6.40	154.08	85.92	RGB	340	800	70	80	-20	-30	TN
	TCXT70016A	800	480	165.10	108.44	7.20	152.40	91.44	RGB	1000	1000	85	90	-30	-40	IPS
	TCXD070IBLON-34	1024	600	165.00	100.00	5.70	154.21	85.92	RGB	800	600	70	80	-20	-30	IPS
	XT70401K	800	480	165.00	100.00	5.70	154.08	85.92	RGB	450	500	85	85	-30	-30	TN
	TCXD070IBLON-35	1024	600	164.90	100.00	3.50	154.21	85.92	MIPI	300	800	70	80	-20	-30	IPS
	XT70381G	800	480	165.00	100.00	5.80	154.08	85.92	RGB	400	500	70	80	-20	-30	TN
	XT70405C	1024	600	164.90	100.00	3.45	154.21	85.88	RGB	500	800	70	80	-20	-30	TN
	XT70600A	800	480	165.00	100.00	5.80	154.08	85.92	RGB	400	500	70	80	-20	-30	TN
	XT70594C	800	1280	120.20	179.22	4.50	94.20	150.72	MIPI	400	850	70	70	-20	-20	IPS
	TCXT70027A	1024	600	165.00	100.00	5.70	154.21	85.92	LVDS	500	800	70	80	20	-30	IPS
	TCXT70030B	800	480	166.10	106.00	19.80	152.40	91.44	RGB	1000	1000	85	90	-30	-40	IPS
	TCXT70049A	800	480	165.00	104.44	4.10	152.40	91.44	LVDS	500	400	70	80	-20	-30	TN
7.84	TCXD078IBLON-07	400	1280	67.80	205.78	4.60	59.40	190.08	MIPI	450	500	70	80	-20	-30	IPS
	TCXD078IBLON-05	400	1280	67.80	205.78	4.60	59.40	190.08	MIPI	450	500	70	80	-20	-30	IPS
	X078DTLT-119	400	1280	83.20	218.20	8.70	59.40	190.08	MIPI	500	900	70	80	-20	-30	IPS
	TCXD080IWLON-3	800	480	192.80	116.90	6.40	176.64	93.36	RGB	400	800	70	80	-20	-30	TN
	X080DTLN-B02	1280	720	192.80	116.90	6.40	177.02	99.58	SPI+LV	1000	1000	85	95	-30	-40	IPS

8	TCXD080IWLON-4	800	600	183.00	141.00	5.50	162.00	121.50	RGB	300	400	70	80	-20	-30	TN
	TCXD080IBLON-1	800	1280	114.60	184.10	2.68	107.64	172.22	MIPI	400	800	60	70	-10	-20	IPS
	TCX080DTLN-06	1024	600	116.90	192.80	6.45	99.36	176.64	RGB	600	800	-20	-30	70	80	TN
	TCXD080IBLMA-8	800	1280	119.80	212.70	5.50	107.64	172.22	MIPI	450	800	70	80	-20	-30	IPS
	X080DTLN-B01	800	1280	114.60	184.10	2.65	107.64	172.22	MIPI	300	1500	70	80	-20	-30	IPS
	TCXD080IBLMA-5	1200	1920	121.14	200.52	3.73	107.64	172.22	MIPI	370	1200	60	80	-20	-30	IPS
	X080DTLT-B03-1	800	1280	119.80	212.70	5.55	107.64	172.22	MIPI	450	1500	70	80	-20	-30	IPS
8.4	TCXD084INFON-1	1024	768	180.12	139.02	0.76	170.80	128.10	RGB	0	600	80	80	-30	-30	IPS
9.0	TCXD090AWLON-3	1024	600	210.70	126.50	5.10	196.61	114.15	RGB	270	500	70	80	-20	-30	TN
	X090DTLN-C01	1280	720	210.80	124.20	6.20	198.91	111.89	LVDS	850	900	85	85	-30	-30	IPS
	TCXD090AWLON-2	1024	600	210.70	126.50	5.10	196.61	114.15	LVDS	450	500	70	80	-20	-30	TN
9.2	TCXD092ABLMA-1	1920	384	242.93	64.04	9.72	229.24	45.85	SPI+LV	2000	800	-30	-35	80	85	IPS
9.7	X097DTLN-12	1024	768	210.21	164.25	2.90	196.61	147.46	LVDS	270	500	60	70	-20	-30	TN
	TCX097DTLN-03	1024	768	210.20	166.20	3.65	196.61	147.46	RGB	350	500	70	80	-20	-30	TN
10.1	TCX101DTLT-07	1280	800	245.80	191.80	5.95	216.96	135.60	LVDS	230	800	50	60	0	-20	IPS
	TCX101DTLN-11	1024	600	235.00	143.00	6.90	222.72	125.28	LVDS	400	600	70	80	-20	-30	IPS
	X101DTLN-43	1280	800	229.46	149.10	2.50	216.96	135.60	LVDS	270	800	50	60	0	-20	IPS
	TCXD101IBLON-12	1024	600	235.00	143.00	5.00	222.72	125.28	RGB	400	1000	70	80	-20	-30	IPS
	TCX101DTLN-20	1024	600	235.00	143.00	4.60	222.72	125.28	RGB	500	600	70	80	-20	-30	TN
	TCX101DTLN-22	800	1280	149.10	229.46	2.50	135.36	216.58	SPI+LV	400	800	70	80	-20	-30	IPS
10.25	X101DTLN-105	1024	600	235.00	143.00	5.00	222.72	125.28	LVDS	350	600	70	80	-20	-30	TN
	TCX103DTLT-08	1920	720	268.00	120.80	10.15	243.65	91.37	LVDS	750	1000	85	90	-30	-40	IPS
	TCXD103ABLON-1	1920	720	259.90	111.60	7.75	243.65	91.37	LVDS	870	1000	85	90	-30	-40	IPS
10.4	TCXD104IBLON-1	1024	768	227.00	175.80	6.50	210.43	157.82	LVDS	500	1000	70	80	-20	-30	IPS
11.6	TCX116DTLT-02	1366	768	298.14	180.95	5.30	256.13	144.00	EDP	380	800	50	60	0	-20	IPS
12.1	TCXD121IBLON-1	1024	768	260.50	204.00	8.60	245.76	184.32	LVDS	600	900	70	85	-20	-30	IPS
12.3	TCX123DTLN-05	1920	720	307.90	130.27	7.60	292.03	109.51	LVDS	900	1000	85	90	-30	-40	IPS
13.3	X133DTLN-02	1920	1080	305.20	187.90	2.60	293.76	165.24	EDP	220	1000	50	60	0	-20	IPS
	X133DTLN-03	1920	1080	305.20	187.90	2.60	293.76	165.24	LVDS	300	1000	50	60	0	-20	IPS
15.6	TCXD156MBLON-1	1920	1080	359.50	217.74	3.20	344.16	193.59	EDP	280	800	50	60	0	-20	IPS
21.5	TCX215DTLT-01	1920	1080	495.60	292.20	10.50	476.06	267.78	LVDS	900	800	-20	-30	70	80	IPS

※ 仕様は部品の調達状況により変わり得る事があります。詳細はお問い合わせ下さい。